

Slika	Opis	Kataloški broj	Cijena bez PDV-a	Pakovanje
	<b>Fen industrijski HG 5000 E</b> Elektronski kontrolirana temperatura i protok zraka Napon 220V Snaga max 3400W Temperatura od 25° - 600° Protok zraka 800l/min Ispušna cijev fi 50mm, LCD displej Vijek trajanja motora do 20000 h Pakovanje: Metalni kofer	350154	750,85 KM	1
	<b>Fen industrijski HG 4000 E</b> Elektronski kontrolirana temperatura i protok zraka Napon 220V Snaga max 1750W Temperatura od 25° - 600° Protok zraka 600l/min Ispušna cijev fi 40mm, LCD displej Vijek trajanja motora do 20000 h Pakovanje: Metalni kofer	350253	737,18 KM	1
	<b>Fen industrijski HG 2000 E</b> Elektronski kontrolirana temperatura i protok zraka Napon 220V Snaga max 2000W Temperatura od 100° - 600° Protok zraka 300/500l/min Ispušna cijev fi 34mm	342616	189,74 KM	1
	<b>Fen industrijski HG 2310 LCD set</b> Elektronski kontrolirana temperatura i protok zraka Univerzalni set za popravak plastike (branci na automobilima, motorima, biciklima), Napon 220V, Snaga max 2300W, Temperatura od 50° - 650° Protok zraka 150-500l/min, Ispušna cijev fi 34mm, LCD displej Dodatni pribor: EEA/EVA univerzalni štapići za varenje, mrežica, zaštitni prsten, pegla za varenje, reducir 9mm Pakovanje: PVC kofer	348366	400,85 KM	1
	<b>Fen industrijski HG 2310 LCD</b> Elektronski kontrolirana temperatura i protok zraka Napon 220V Snaga max 2300W Temperatura od 50° - 650° Protok zraka 150-500l/min Ispušna cijev fi 34mm LCD displej	348311	196,15 KM	1
	<b>Fen industrijski HL 2010 E</b> Elektronski kontrolirana temperatura i protok zraka Napon 220V Snaga max 2000W Temperatura od 50° - 630° Protok zraka 150/300/500l/min Ispušna cijev fi 34mm LCD displej	348212	153,76 KM	1
	<b>Fen industrijski HL 1910 E</b> Elektronski kontrolirana temperatura i protok zraka Napon 220V Snaga max 2000W Temperatura 50°/ 400°/ 600° Protok zraka 150/300/500l/min Ispušna cijev fi 34mm	348410	93,93 KM	1

Slika	Opis	Kataloški broj	Cijena bez PDV-a	Pakovanje
	<b>Fen industrijski HL 1610 S</b> Napon 220V Snaga max 1600W Temperatura 300°/ 500° Protok zraka 240/450l/min Ispušna cijev fi 34mm	348014	65,73 KM	1
 092818    092719	<b>Pegla za varenje</b> <b>Usmjerivač zraka</b> (dodaci za HG 5000 E)	092818 092719	59,74 KM 47,78 KM	1 1
 092313    092214	<b>Reducir 10mm</b> <b>Reducir 5mm</b> (dodaci za HG 4000 E)	092313 092214	58,89 KM 58,89 KM	1 1
 092016    092115	<b>Pegla za varenje 40x2</b> <b>Pegla za varenje 20x2</b> (dodaci za HG 4000 E)	092016 092115	52,56 KM 62,31 KM	1 1
	<b>Nastavak za varenje i fugiranje</b> Potreban reducir 10mm (dodaci za HG 4000 E)	075316	52,05 KM	1
 093211    012212    093112	<b>Valjak 50mm</b> <b>Kružni nož</b> <b>Pribor za spajanje</b> (dodaci za HG 4000 E)	093211 012212 093112	84,62 KM 37,52 KM 70,09 KM	1 1 1
 092917    093013	<b>Nož kružni</b> <b>Zaštitna pločica</b> (dodaci za HG 4000 E)	092917 093013	66,24 KM 17,86 KM	1 1

Slika	Opis	Kataloški broj	Cijena bez PDV-a	Pakovanje
 070618      070915	<b>Reducir 9mm</b> <b>Nastavak za varenje i fugiranje (9mm)</b> (dodaci za HG2000, HG2300, HG2310 LCD)	070618 070915	9,83 KM 17,01 KM	1 1
 070717      070816      071714	<b>Reducir 14mm</b> <b>Reducir 20mm</b> <b>Nastavak za roštilj</b> (dodaci za HG2000, HG2300, HG2310 LCD)	070717 070816 071714	9,83 KM 9,83 KM 19,57 KM	1 1 1
 012212      012311	<b>Kružni nož</b> <b>Valjak</b> (dodaci za HG2000, HG2300, HG2310 LCD)	012212 012311	37,52 KM 24,36 KM	1 1
	<b>Elektrode za varenje i fugiranje PVC</b>	071219 HDPE 073114 PVC 073312 LDPE 073411 PP 074210 ABS 076467 Thermoflex	8,12 KM 8,12 KM 8,12 KM 8,12 KM 12,39 KM 42,65 KM	100g 100g 100g 100g 100g 100g
	<b>Armaturna mreža 10/1</b> 150x115mm 10 kom	076566	42,65 KM	1
	<b>Kofer PVC Steinel</b> 36x27x10cm	003555	21,37 KM	1



Slika	Opis	Kataloški broj	Cijena bez PDV-a	Pakovanje
	<b>Aparat za vruće ljepljenje NEO 3</b> akku 7,2V Li-ion Zagrijavanje: manje od 15 sec Trajanje baterije kod uzastopnog rada: cca 45 min. Vrijeme punjenja: 90 min Ljepilo: fi 7 mm Težina uređaja: cca. 260g	331115	122,22 KM	1
	Štapići za ljepljenje 7mm	Bijeli Kristal 040505 040413	4,70 KM 4,18 KM	60g 60g
	Štapići za ljepljenje 11mm	Crni Bijeli Za drvo Za karton 048211 048112 047818 048013	8,12 KM 8,12 KM 8,12 KM 8,12 KM	200g 200g 200g 200g
	Štapići za ljepljenje 11mm kristal Transparentno ljepilo	048419	14,44 KM	500g
	Štapići za ljepljenje 11mm ULTRA Power Univerzalno, posebno snažno taljivo ljepilo Za ljepljenje različitih vrsta materijala	046910	27,35 KM	1000g
	Štapići za ljepljenje 11mm u boji Žuta, narančasta, crvena, plava, zelena	047719	8,12 KM	160g
	<b>Aparat za rezanje stiropora Styrofix</b> Napon 110-240V Snaga 250W Idealan za precizna rezanja stiropora i drugih tvrdih pjenastih materijala Uključuje tri različite oštrice (50mm standardna, 30 mm precizna, oštrica u obliku kuke namjenjena za izrezivanja i krojenja) Max dub.rezanja 50mm Vrijeme zagrijavanja 6 min, radna temperatura 200°C	334017	42,31 KM	1
	Set oštrica za Styrofix 3/1 50mm standardna, 30 mm precizna, oštrica u obliku kuke	003456	10,77 KM	1